

	Application No.	Applicant(s)
Notice of Allowability	10/770 000	NOUNTAL ANDY T
	10/772,820 Examiner	NGUYEN, ANDY T. Art Unit
	My-Trang N. Ton	2816
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>Amdt. filed 12/16/05</u> .		
2. The allowed claim(s) is/are 10-14.		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do 	e been received. e been received in Application No	
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm	MENT of this application. iitted. Note the attached EXAMINER'	S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which give	•	tion is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") mus		
(a) ☐ including changes required by the Notice of Draftspers		948) attached
1) hereto or 2) to Paper No./Mail Date		60
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	Tice action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawin he header according to 37 CFR 1.121(c	gs in the front (not the back) of
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (Paper No./Mail Date	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 12/16/05 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	_	mt of Reasons for Allowance MY-TRANG NUTON PRIMARY EXAMINER

Application/Control Number: 10/772,820

Art Unit: 2816

Reasons for allowance

The following is an examiner's statement of reasons for allowance:

The present invention is drawn to a phase shifter circuit utilizing a circuit clock input terminal, a multi-bit circuit input terminal, a counter circuit, first - second subtractors, first -second multiplexer circuits, a comparator circuit and a phase shifter recited in claims 10-14. None of the prior art disclosed or suggested to show the particular structure and/or the particular operation recited in these claims namely: "the counter circuit", "the second multiplexer circuit", "the phase shifter" in combination with "the first subtractor", "the first multiplexer" and "the comparator" as recited in claim 10.

The prior art references submitted by the applicant on IDS form received on 12/16/05 was reviewed and considered. These references also lack the combination of all limitations as cited in claim 10. Therefore, the claims are patentably distinct over all these prior art references of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to My-Trang N. Ton whose telephone number is 571-272-1754. The examiner can normally be reached on 7:00 a.m - 5:30 p.m.

Application/Control Number: 10/772,820

Art Unit: 2816

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

My-Trång N. Ton Primary Examiner Art Unit 2816

January 3, 2006